


# CHANGES TO THE 2010-11 WATER YEAR - SNOWY RIVER INCREASED FLOWS

## 365 DAILY RELEASE TARGETS

Jindabyne Daily Release Targets for 2010-11 Water Year



Daily release patterns are as a result of the advice of the Snowy Scientific Committee to the NSW Government.

The Snowy Scientific Committee is a committee established under the Snowy Hydro Corporations Act 1997 (NSW).

Its members are appointed by the NSW and Victorian governments, with the chair to be an independent scientist with expertise in aquatic environments. The committee is not subject to the control or direction of the governments.

One of the main functions of the Snowy Scientific committee is to advise the Water Administration Ministerial Corporation (NSW Government) each year on the regime for the release of water for environmental reasons under the Snowy Water Licence.

## Calendar of Snowy River Daily Release Targets - Low Flows and Peak Releases in ML/day

Day	May	June	July	August	September	October	November	December	January	February	March	April
1	100	100	140	260	140	100	100	80	80	870	870	90
2	100	100	140	260	140	100	80	80	80	359	359	90
3	100	100	140	260	140	100	80	80	80	90	90	90
4	100	100	140	260	140	100	80	80	100	90	90	90
5	100	80	140	320	170	80	80	80	100	90	90	70
6	100	80	170	320	170	80	80	80	100	90	90	70
7	100	80	170	320	170	80	80	100	100	90	90	70
8	80	80	170	320	170	80	80	100	100	70	70	70
9	80	80	170	320	170	80	100	100	100	70	70	70
10	80	80	170	320	170	80	100	100	100	70	70	70
11	80	80	170	320	170	80	100	100	80	70	70	70
12	80	100	170	260	140	100	100	100	80	70	70	90
13	80	100	140	260	140	100	100	100	80	70	70	90
14	80	100	140	260	140	100	100	80	80	70	70	90
15	100	140	260	150	100	100	100	80	80	100	90	90
16	100	140	260	150	100	100	80	80	80	100	90	90
17	100	140	260	150	100	100	80	80	80	100	90	90
18	100	140	260	150	100	100	80	80	100	100	90	90
19	100	140	260	150	100	80	80	80	100	100	90	70
20	100	140	260	150	100	80	80	80	100	100	90	70
21	100	140	260	150	80	80	80	100	100	100	90	70
22	80	170	330	180	80	80	80	100	100	80	70	70
23	80	170	330	180	80	80	100	100	100	80	70	70
24	80	170	330	180	80	80	100	100	100	80	70	70
25	80	170	330	180	80	80	100	100	80	80	70	70
26	80	170	330	180	80	100	100	100	80	80	70	90
27	80	170	330	180	80	100	100	100	80	80	70	90
28	80	170	330	180	100	100	100	80	80	596	70	90
29	100	140	260	150	100	100	100	80	80		90	90
30	100	140	260	150	100	100	80	80	80		90	90
31	100		260	150		100		80	596		90	
<b>TOTAL</b>	<b>2,820</b>	<b>3,710</b>	<b>7,080</b>	<b>6,820</b>	<b>3,630</b>	<b>2,820</b>	<b>2,700</b>	<b>2,760</b>	<b>3,276</b>	<b>3,945</b>	<b>3,559</b>	<b>2,420</b>
<b>ANNUAL TOTAL : 45,540</b>												

If you have any questions regarding the daily release arrangements contact the NSW Office of Water on 1800 353 104 or [information@water.nsw.gov.au](mailto:information@water.nsw.gov.au)