

# 2021-22 WATER YEAR SNOWY RIVER DAILY RELEASE TARGETS

Updated - 9 Aug 21

Daily release patterns are notified to Snowy Hydro Ltd from the NSW DPIE Water in February of the preceding water year.

*Note: Daily targets may be updated by NSW DPIE Water at any time. All updates will be uploaded to the Snowy Hydro website as they occur.*

Days highlighted in green include an 8 hour high flow event. This means that for 8 hours on these days, flows from the dam will be significantly higher than the daily target. The peak values for the days highlighted in green are shown on the right. The day highlighted in blue contains an 8 hour flushing flow event and is discussed in the box below.

1. 21/06/21 4107 ML/d (47.5m3s-1)
2. 06/07/21 5000 ML/d (57.9 m3s-1)
- 3\* 06/10/21 10362 ML/d (119.9 m3s-1)
4. 19/10/21 4699 ML/d (54.4 m3s-1)
5. 09/11/21 4263 ML/d (49.3 m3s-1)

## Calendar of Snowy River Daily Release Targets - Low Flows and Peak Releases in ML

Day	May 2021	June 2021	July 2021	August 2021	September 2021	October 2021	November 2021	December 2021	January 2022	February 2022	March 2022	April 2022
1	587	273	208	370	399	1233	579	407	238	314	126	183
2	460	246	195	357	393	1337	557	382	286	223	219	174
3	282	229	185	344	987	1009	513	356	221	190	213	160
4	218	227	179	362	1718	1246	390	342	199	171	145	151
5	184	228	207	521	1658	2173	379	335	184	155	121	278
6	169	606	2 3900	466	1083	3* 6516	528	317	172	142	126	314
7	415	1342	1022	528	819	3647	509	296	163	138	187	212
8	257	677	638	1633	721	2116	740	286	205	133	192	181
9	204	524	550	907	676	1123	5 2831	277	409	137	239	165
10	166	458	456	775	663	974	1549	268	322	157	301	159
11	155	447	401	392	659	908	1006	248	237	151	663	153
12	149	377	359	396	973	829	831	234	211	134	302	778
13	140	340	342	860	1361	1270	718	230	194	130	213	967
14	131	438	317	897	972	897	643	778	176	130	153	1027
15	124	619	300	664	815	380	568	591	171	119	121	683
16	196	612	279	604	390	391	396	495	157	142	108	559
17	881	479	264	775	383	695	389	369	150	135	103	510
18	1102	425	264	786	726	2827	701	314	140	110	91	461
19	600	391	256	399	1702	4 3871	648	280	216	107	114	429
20	467	359	253	384	1943	1578	579	275	167	106	124	398
21	376	1 2431	396	802	1063	1287	531	440	172	100	117	371
22	311	1057	407	896	935	1094	496	292	276	96	782	355
23	319	1039	315	2080	2742	952	469	261	595	95	313	369
24	586	663	276	1235	1591	877	506	265	341	175	197	464
25	627	421	265	1001	1238	831	546	357	242	176	161	377
26	438	340	290	5000	1649	792	508	274	202	188	152	340
27	349	288	442	823	1355	791	474	437	187	151	196	330
28	509	260	992	747	1235	763	694	408	222	126	494	307
29	424	241	520	716	1332	753	492	327	396		295	295
30	337	225	447	693	2218	653	438	274	311		222	337
31	296		401	699		607		250	247		189	
<b>Annual Total: 209,857</b>												

\* The 2021 Flushing Flow is currently Scheduled for 6 October 2021. The flushing flow will include an 8 hour peak flow of 10,362 ML/day (119.9 m<sup>3</sup>/s). The flushing flow will commence at 8am and conclude at 4 pm.

NSW DPIE Water will be managing the community notification process around high flow releases. If you are a landholder we strongly suggest you contact NSW DPIE Water on the details provided below

If you have any questions regarding the daily release arrangements contact NSW DPIE Water at [www.industry.nsw.gov.au/contact-us-email](http://www.industry.nsw.gov.au/contact-us-email)