

# Environment Protection Licence

Licence - 21466

## Licence Details

Number:	21466
Anniversary Date:	25-November

## Licensee

SNOWY HYDRO LIMITED

PO BOX 332

COOMA NSW 2630

## Premises

HEZ POWER STATION

105 BROMAGE ROAD

ABERMAIN NSW 2326

## Scheduled Activity

Electricity generation

## Fee Based Activity

Generation of electrical power from diesel

## Scale

0-250 GWh annual generating capacity

## Contact Us

NSW EPA

4 Parramatta Square

12 Darcy Street

PARRAMATTA NSW 2150

Phone: 131 555

Email: [info@epa.nsw.gov.au](mailto:info@epa.nsw.gov.au)

Locked Bag 5022

PARRAMATTA NSW 2124



# Environment Protection Licence

Licence - 21466

<b>INFORMATION ABOUT THIS LICENCE</b>	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and annual return to be sent to the EPA	4
Transfer of licence	5
Public register and access to monitoring data	5
<b>1 ADMINISTRATIVE CONDITIONS</b>	<b>6</b>
A1 What the licence authorises and regulates	6
A2 Premises or plant to which this licence applies	6
A3 Other activities	6
A4 Information supplied to the EPA	6
<b>2 DISCHARGES TO AIR AND WATER AND APPLICATIONS TO LAND</b>	<b>7</b>
P1 Location of monitoring/discharge points and areas	7
<b>3 LIMIT CONDITIONS</b>	<b>7</b>
L1 Pollution of waters	7
L2 Concentration limits	7
L3 Noise limits	8
L4 Hours of operation	9
L5 Potentially offensive odour	9
<b>4 OPERATING CONDITIONS</b>	<b>9</b>
O1 Activities must be carried out in a competent manner	9
O2 Maintenance of plant and equipment	9
O3 Dust	9
O4 Emergency response	10
O5 Processes and management	10
O6 Other operating conditions	10
<b>5 MONITORING AND RECORDING CONDITIONS</b>	<b>10</b>
M1 Monitoring records	10
M2 Requirement to monitor concentration of pollutants discharged	11
M3 Testing methods - concentration limits	11
M4 Recording of pollution complaints	12
M5 Telephone complaints line	12



# Environment Protection Licence

Licence - 21466

<b>6</b>	<b>REPORTING CONDITIONS</b>	<b>12</b>
R1	Annual return documents	12
R2	Notification of environmental harm	13
R3	Written report	14
R4	Other reporting conditions	14
<b>7</b>	<b>GENERAL CONDITIONS</b>	<b>15</b>
G1	Copy of licence kept at the premises or plant	15
G2	Contact number for incidents and responsible employees	15
<b>8</b>	<b>SPECIAL CONDITIONS</b>	<b>15</b>
E1	Electricity supply security	15
<b>DICTIONARY</b>		<b>16</b>
	General Dictionary	16

# Environment Protection Licence

---

Licence - 21466

## Information about this licence

### Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

### Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

### Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

### Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

### Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

### Fees and annual return to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).



# Environment Protection Licence

Licence - 21466

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees. The licence requires that an Annual Return, comprising a Statement of Compliance and a summary of any monitoring required by the licence (including the recording of complaints), be submitted to the EPA. The Annual Return must be submitted within 60 days after the end of each reporting period. See condition R1 regarding the Annual Return reporting requirements.

Usually the licence fee period is the same as the reporting period.

## Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

## Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

## This licence is issued to:

<b>SNOWY HYDRO LIMITED</b>
<b>PO BOX 332</b>
<b>COOMA NSW 2630</b>

subject to the conditions which follow.

# Environment Protection Licence

Licence - 21466

## 1 Administrative Conditions

### A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their scheduled activity classification, fee-based activity classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

Scheduled Activity	Fee Based Activity	Scale
Electricity generation	Generation of electrical power from diesel	0 - 250 GWh annual generating capacity

### A2 Premises or plant to which this licence applies

A2.1 The licence applies to the following premises:

Premises Details
HEZ POWER STATION
105 BROMAGE ROAD
ABERMAIN
NSW 2326
LOT 1 DP 1139227

### A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

Ancillary Activity
Chemical storage

### A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.

# Environment Protection Licence

Licence - 21466

## 2 Discharges to Air and Water and Applications to Land

### P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

<i>Air</i>			
EPA identification no.	Type of Monitoring Point	Type of Discharge Point	Location Description
1	Discharge to air Air emissions monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 1-6, marked and shown as "1" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge_Point_Map (002).pdf" (EPA ref. DOC20/712090).
2	Discharge to air Air emissions monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 7-12, marked and shown as "2" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge_Point_Map (002).pdf" (EPA ref. DOC20/712090).
3	Discharge to air Air emissions monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 13-16, marked and shown as "3" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge_Point_Map (002).pdf" (EPA ref. DOC20/712090).

## 3 Limit Conditions

### L1 Pollution of waters

L1.1 Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

### L2 Concentration limits

L2.1 For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.

L2.2 Air Concentration Limits

# Environment Protection Licence

Licence - 21466

## POINT 1,2,3

Pollutant	Units of measure	100 percentile concentration limit	Reference conditions	Oxygen correction	Averaging period
Carbon monoxide	milligrams per cubic metre	300	Dry, 273K, 101.3kPa	10%	1 hour
Solid Particles	milligrams per cubic metre	10	Dry, 273K, 101.3kPa	10%	1 hour
Nitrogen Oxides	milligrams per cubic metre	200	Dry, 273K, 101.3kPa	10%	1 hour

L2.3 The limits contained in this licence do not apply during a period of start up or shut down, as defined by the Protection of the Environment Operations (Clean Air) Regulation 2021.

Note: While the limits contained in this licence do not apply under the specified periods, the licensee will still be subject to the requirements of Section 128(2) of the Protection of the Environment Operations Act 1997.

## L3 Noise limits

L3.1 Noise from the premises must not exceed the following noise limit at any residence or noise sensitive receptor not owned or operated by the licensee:

a) at all times, an LAeq(15 minute) noise emission criterion of 35 dB(A)

Where LAeq(15 minute) is the equivalent continuous noise level being the level of noise equivalent to the energy average of noise levels occurring over a measurement period.

L3.2 Noise from the premises is to be measured at the residential boundary; or 30 metres from the residence where the boundary is more than 30 metres from the residence to determine compliance with this condition.

Note: Noise Measurement

For the purpose of noise measurement required for this condition, the LAeq noise level must be measured or computed at the point defined in condition L3.2 over a period of 15 minutes using “FAST” response on the sound level meter.

For the purpose of the noise criteria for this condition, 5dB(A) must be added to the measured level if the noise is substantially tonal or impulsive in character. The location or point of impact can be different for each development, for example, at the closest residential receiver or at the closest boundary of the development. Measurement locations can be:

- 1 metre from the façade of the residence for night time assessment;
- At the residential boundary;
- 30 metres from the residence (rural situations) where the boundary is more than 30 metres from the residence.

L3.3 The noise emission limits identified in this licence apply under prevailing meteorological conditions except:



# Environment Protection Licence

Licence - 21466

- a) during rain and wind speeds (at 10m height) greater than 3m/s; or
- b) under conditions of temperature inversion.

Noise impacts that may be enhanced by temperature inversion must be addressed by:

- c) documenting noise complaints received to identify any higher level of impacts or patterns of temperature inversions;
- d) where levels of noise complaints indicate a higher level of impact then actions to quantify and ameliorate any enhanced impacts under temperature inversion conditions should be developed and implemented.

## L4 Hours of operation

- L4.1 The plant must not operate for more than 200 hours per reporting period.

## L5 Potentially offensive odour

- L5.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

## 4 Operating Conditions

### O1 Activities must be carried out in a competent manner

- O1.1 Licensed activities must be carried out in a competent manner.  
This includes:
  - a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
  - b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

### O2 Maintenance of plant and equipment

- O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
  - a) must be maintained in a proper and efficient condition; and
  - b) must be operated in a proper and efficient manner.

### O3 Dust

- O3.1 The premises must be maintained in a condition which prevents the emission of dust from the premises.

# Environment Protection Licence

Licence - 21466

- O3.2 All operations and activities occurring at the premises must be carried out in a manner that will minimise the generation of dust at the premises.
- O3.3 Activities occurring at the premises must be carried out in a manner that will minimise emissions of dust from the premises.

## O4 Emergency response

- O4.1 The licensee must maintain, and implement as necessary, a current emergency response plan for the premises. The licensee must keep the emergency response plan on the premises at all times. The emergency response plan must document systems and procedures to deal with all types of incidents (e.g. spills, explosions or fire) that may occur at the premises or that may be associated with activities that occur at the premises and which are likely to cause harm to the environment. If a current emergency response plan does not exist at the date on which this condition is attached to the licence, the licensee must develop an emergency response plan within three months of that date.

## O5 Processes and management

- O5.1 All above ground tanks containing material that is likely to cause environmental harm must be bunded or have an alternative spill containment system in place.
- O5.2 Bunds must:
- have walls and floors constructed of impervious materials;
  - be of sufficient capacity to contain 110% of the volume of the tank (or 110% volume of the largest tank where a group of tanks are installed);
  - have floors graded to a collection sump; and
  - not have a drain valve incorporated in the bund structure,

or be constructed and operated in a manner that achieves the same environmental outcome.

## O6 Other operating conditions

- O6.1 The sulfur content in the diesel fuel used for firing the power station must comply with the Australian Government's *Fuel Quality Standards (Automotive Diesel) Determination 2019* made under the *Fuel Quality Standards Act 2000*.

# 5 Monitoring and Recording Conditions

## M1 Monitoring records

- M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.
- M1.2 All records required to be kept by this licence must be:
- in a legible form, or in a form that can readily be reduced to a legible form;

# Environment Protection Licence

Licence - 21466

- b) kept for at least 4 years after the monitoring or event to which they relate took place; and
- c) produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- a) the date(s) on which the sample was taken;
- b) the time(s) at which the sample was collected;
- c) the point at which the sample was taken; and
- d) the name of the person who collected the sample.

## M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

M2.2 Air Monitoring Requirements

**POINT 1,2,3**

Pollutant	Units of measure	Frequency	Sampling Method
Carbon monoxide	milligrams per cubic metre	Yearly	TM-32
Nitrogen Oxides	milligrams per cubic metre	Yearly	TM-11
Solid Particles	milligrams per cubic metre	Yearly	TM-15

Note: Nitrogen Oxides mean: Nitrogen Dioxide (NO<sub>2</sub>) or Nitric Oxide (NO) or both, as NO<sub>2</sub> equivalent.

## M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- a) any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- b) if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- c) if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2021* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".

# Environment Protection Licence

---

Licence - 21466

## **M4 Recording of pollution complaints**

- M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.
- M4.2 The record must include details of the following:
- a) the date and time of the complaint;
  - b) the method by which the complaint was made;
  - c) any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
  - d) the nature of the complaint;
  - e) the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
  - f) if no action was taken by the licensee, the reasons why no action was taken.
- M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.
- M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

## **M5 Telephone complaints line**

- M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.
- M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.
- M5.3 The preceding two conditions do not apply until 3 months after the date of the issue of this licence.

## **6 Reporting Conditions**

### **R1 Annual return documents**

- R1.1 The licensee must complete and supply to the EPA an Annual Return in the approved form comprising:
1. a Statement of Compliance,
  2. a Monitoring and Complaints Summary,
  3. a Statement of Compliance - Licence Conditions,
  4. a Statement of Compliance - Load based Fee,
  5. a Statement of Compliance - Requirement to Prepare Pollution Incident Response Management Plan,
  6. a Statement of Compliance - Requirement to Publish Pollution Monitoring Data; and
  7. a Statement of Compliance - Environmental Management Systems and Practices.

# Environment Protection Licence

Licence - 21466

At the end of each reporting period, the EPA will provide to the licensee notification that the Annual Return is due.

R1.2 An Annual Return must be prepared in respect of each reporting period, except as provided below.

Note: The term "reporting period" is defined in the dictionary at the end of this licence. Do not complete the Annual Return until after the end of the reporting period.

R1.3 Where this licence is transferred from the licensee to a new licensee:

- a) the transferring licensee must prepare an Annual Return for the period commencing on the first day of the reporting period and ending on the date the application for the transfer of the licence to the new licensee is granted; and
- b) the new licensee must prepare an Annual Return for the period commencing on the date the application for the transfer of the licence is granted and ending on the last day of the reporting period.

Note: An application to transfer a licence must be made in the approved form for this purpose.

R1.4 Where this licence is surrendered by the licensee or revoked by the EPA or Minister, the licensee must prepare an Annual Return in respect of the period commencing on the first day of the reporting period and ending on:

- a) in relation to the surrender of a licence - the date when notice in writing of approval of the surrender is given; or
- b) in relation to the revocation of the licence - the date from which notice revoking the licence operates.

R1.5 The Annual Return for the reporting period must be supplied to the EPA via eConnect *EPA* or by registered post not later than 60 days after the end of each reporting period or in the case of a transferring licence not later than 60 days after the date the transfer was granted (the 'due date').

R1.6 The licensee must retain a copy of the Annual Return supplied to the EPA for a period of at least 4 years after the Annual Return was due to be supplied to the EPA.

R1.7 Within the Annual Return, the Statements of Compliance must be certified and the Monitoring and Complaints Summary must be signed by:

- a) the licence holder; or
- b) by a person approved in writing by the EPA to sign on behalf of the licence holder.

## R2 Notification of environmental harm

R2.1 Notifications must be made by telephoning the Environment Line service on 131 555.

Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

R2.2 The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

# Environment Protection Licence

Licence - 21466

## R3 Written report

- R3.1 Where an authorised officer of the EPA suspects on reasonable grounds that:
- where this licence applies to premises, an event has occurred at the premises; or
  - where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence,
- and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2 The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.
- R3.3 The request may require a report which includes any or all of the following information:
- the cause, time and duration of the event;
  - the type, volume and concentration of every pollutant discharged as a result of the event;
  - the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
  - the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
  - action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
  - details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
  - any other relevant matters.
- R3.4 The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

## R4 Other reporting conditions

### Air concentration limit exceedances

- R4.1 The licensee must notify the EPA of any exceedances of any emission or concentration limit included as a condition of this licence in accordance with condition R2.1 no later than 5 days after becoming aware of any exceedance.
- R4.2 Within 20 days of the notification made in accordance with condition R4.1 above, the licensee must provide a report to the EPA at [RegOps.MetroRegulation@epa.nsw.gov.au](mailto:RegOps.MetroRegulation@epa.nsw.gov.au) that includes, as a minimum, the following details:
- the date and time that the exceedance occurred;
  - the nature of the exceedance (i.e. the pollutants involved);
  - the duration of the exceedance;
  - plant operating conditions at the time the exceedance;
  - the cause of the exceedance;

# Environment Protection Licence

---

Licence - 21466

6. the remedial/corrective actions taken at the time the exceedance was made known; and
7. the actions taken and/or future actions to be taken, to prevent exceedances of a similar nature occurring in the future.

## 7 General Conditions

### G1 Copy of licence kept at the premises or plant

- G1.1 A copy of this licence must be kept at the premises to which the licence applies.
- G1.2 The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3 The licence must be available for inspection by any employee or agent of the licensee working at the premises.

### G2 Contact number for incidents and responsible employees

- G2.1 The licensee must provide the EPA with up to date contact details to enable the EPA:
- a) to contact either the licensee or a representative of the licensee who can respond at all times to incidents relating to the premises, and
  - b) to contact the licensee's senior employees or agents authorised at all times to:
    - i) speak on behalf of the licensee, and
    - ii) provide any information or document required under the licence.

## 8 Special Conditions

### E1 Electricity supply security

- E1.1 The operating hours specified under condition L5.1, may be exceeded where:
- (a) The Australian Electricity Market Operator (AEMO), or someone authorised by the AEMO, directs the licensee, under the National Electricity Rules, to maintain, increase or be available to increase electricity generation for system security; or
  - (b) The EPA gives approval in writing in circumstances that the EPA considers may impact on the function of the NSW electricity supply.

# Environment Protection Licence

Licence - 21466

## Dictionary

### General Dictionary

<b>3DGM [in relation to a concentration limit]</b>	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
<b>Act</b>	Means the Protection of the Environment Operations Act 1997
<b>activity</b>	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
<b>actual load</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>AM</b>	Together with a number, means an ambient air monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
<b>AMG</b>	Australian Map Grid
<b>anniversary date</b>	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
<b>annual return</b>	Is defined in R1.1
<b>Approved Methods Publication</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>assessable pollutants</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>BOD</b>	Means biochemical oxygen demand
<b>CEM</b>	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .
<b>COD</b>	Means chemical oxygen demand
<b>composite sample</b>	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
<b>cond.</b>	Means conductivity
<b>environment</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>environment protection legislation</b>	Has the same meaning as in the Protection of the Environment Administration Act 1991
<b>EPA</b>	Means Environment Protection Authority of New South Wales.
<b>fee-based activity classification</b>	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2009.
<b>general solid waste (non-putrescible)</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997



# Environment Protection Licence

Licence - 21466

<b>flow weighted composite sample</b>	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
<b>general solid waste (putrescible)</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>grab sample</b>	Means a single sample taken at a point at a single time
<b>hazardous waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>licensee</b>	Means the licence holder described at the front of this licence
<b>load calculation protocol</b>	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2009
<b>local authority</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>material harm</b>	Has the same meaning as in section 147 Protection of the Environment Operations Act 1997
<b>MBAS</b>	Means methylene blue active substances
<b>Minister</b>	Means the Minister administering the Protection of the Environment Operations Act 1997
<b>mobile plant</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>motor vehicle</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>O&amp;G</b>	Means oil and grease
<b>percentile [in relation to a concentration limit of a sample]</b>	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
<b>plant</b>	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
<b>pollution of waters [or water pollution]</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>premises</b>	Means the premises described in condition A2.1
<b>public authority</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>regional office</b>	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
<b>reporting period</b>	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
<b>restricted solid waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>scheduled activity</b>	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
<b>special waste</b>	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
<b>TM</b>	Together with a number, means a test method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

# Environment Protection Licence

Licence - 21466

<b>TSP</b>	Means total suspended particles
<b>TSS</b>	Means total suspended solids
<b>Type 1 substance</b>	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
<b>Type 2 substance</b>	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
<b>utilisation area</b>	Means any area shown as a utilisation area on a map submitted with the application for this licence
<b>waste</b>	Has the same meaning as in the Protection of the Environment Operations Act 1997
<b>waste type</b>	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non-putrescible), special waste or hazardous waste
<b>Wellhead</b>	Has the same meaning as in Schedule 1 to the Protection of the Environment Operations (General) Regulation 2021.

Mr Steven James

Environment Protection Authority

(By Delegation)

Date of this edition: 25-November-2020

## End Notes

- |   |                          |                               |
|---|--------------------------|-------------------------------|
| 2 | Licence varied by notice | 1603339 issued on 26-Nov-2020 |
| 3 | Licence varied by notice | 1616036 issued on 04-Mar-2022 |
| 4 | Licence varied by notice | 1625231 issued on 16-Dec-2022 |