


Environment Protection Licence**Licence Details**

Number:	21466
Anniversary Date:	25-November

Licensee

SNOWY HYDRO LIMITED

PO BOX 332

COOMA NSW 2630

Premises

HEZ POWER STATION

105 BROMAGE ROAD

ABERMAIN NSW 2326

Scheduled Activity (Act)**Licensing Fee Category
(Regulation)****Scale**

Electricity generation - Metropolitan electricity works (internal combustion engines)

Generation of electrical power from diesel

0 - 250 GWh annual generating capacity

Environment Protection Licence



Contact Us

NSW EPA
6 Parramatta Square
10 Darcy Street
PARRAMATTA NSW 2150
Phone: 131 555
Email: info@epa.nsw.gov.au
Locked Bag 5022
PARRAMATTA NSW 2124


Contents

Information about this licence	4
Dictionary	4
Responsibilities of licensee	4
Variation of licence conditions	4
Duration of licence	4
Licence review	4
Fees and information to be sent to the EPA.....	4
Transfer of licence	5
Public register and access to monitoring data.....	5
1 Administrative Conditions.....	6
A1 What the licence authorises and regulates.....	6
A2 Premises or plant to which this licence applies.....	6
A3 Other activities.....	6
A4 Information supplied to the EPA.....	7
2 Discharges to Air and Water and Applications to Land	7
P1 Location of monitoring/discharge points and areas.....	7
3 Limit Conditions	8
L1 Pollution of waters.....	8
L2 Concentration limits	8
L3 Noise limits	9
L4 Hours of operation.....	9
L5 Potentially offensive odour.....	10
4 Operating Conditions	10

Environment Protection Licence



O1	Activities must be carried out in a competent manner.....	10
O2	Maintenance of plant and equipment.....	10
O3	Dust	10
O4	Emergency response.....	10
O5	Processes and management.....	11
O6	Other operating conditions.....	11
5	Monitoring and Recording Conditions	11
M1	Monitoring records	11
M2	Requirement to monitor concentration of pollutants discharged	11
M3	Testing methods - concentration limits	12
M4	Recording of pollution complaints	12
M5	Telephone complaints line.....	13
6	Reporting Conditions	13
R1	Compliance, and annual reporting requirements	13
R2	Notification of environmental harm	14
R3	Written report.....	14
R4	Other reporting conditions.....	15
7	General Conditions	15
G1	Copy of licence kept at the premises or plant.....	15
G2	Contact number for incidents and responsible employees.....	16
8	Special conditions	16
E1	Electricity supply security	16
	Dictionary	17
	General Dictionary	17



Information about this licence

Dictionary

A definition of terms used in the licence can be found in the dictionary at the end of this licence.

Responsibilities of licensee

Separate to the requirements of this licence, general obligations of licensees are set out in the Protection of the Environment Operations Act 1997 ("the Act") and the Regulations made under the Act. These include obligations to:

- ensure persons associated with you comply with this licence, as set out in section 64 of the Act;
- control the pollution of waters and the pollution of air (see for example sections 120 - 132 of the Act);
- report incidents causing or threatening material environmental harm to the environment, as set out in Part 5.7 of the Act.

Variation of licence conditions

The licence holder can apply to vary the conditions of this licence. An application form for this purpose is available from the EPA.

The EPA may also vary the conditions of the licence at any time by written notice without an application being made.

Where a licence has been granted in relation to development which was assessed under the Environmental Planning and Assessment Act 1979 in accordance with the procedures applying to integrated development, the EPA may not impose conditions which are inconsistent with the development consent conditions until the licence is first reviewed under Part 3.6 of the Act.

Duration of licence

This licence will remain in force until the licence is surrendered by the licence holder or until it is suspended or revoked by the EPA or the Minister. A licence may only be surrendered with the written approval of the EPA.

Licence review

The Act requires that the EPA review your licence at least every 5 years after the issue of the licence, as set out in Part 3.6 and Schedule 5 of the Act. You will receive advance notice of the licence review.

Fees and information to be sent to the EPA

For each licence fee period you must pay:

- an administrative fee; and
- a load-based fee (if applicable).

Environment Protection Licence



Usually, the licence fee period is the same as the reporting period.

The EPA publication “A Guide to Licensing” contains information about how to calculate your licence fees.

A licence subject to load-based licensing (LBL) requires an Annual Return to be submitted to the EPA, comprising a Statement of Compliance for Load Based Fee Calculation for each assessable pollutant required by the licence. The Annual Return must be submitted by the “due date”, as defined in the dictionary at the end of the licence. Refer to the Annual Return reporting requirements under Section 6 “Reporting Conditions”.

Transfer of licence

The licence holder can apply to transfer the licence to another person. An application form for this purpose is available from the EPA.

Public register and access to monitoring data

Part 9.5 of the Act requires the EPA to keep a public register of details and decisions of the EPA in relation to, for example:

- licence applications;
- licence conditions and variations;
- statements of compliance;
- load based licensing information; and
- load reduction agreements.

Under s320 of the Act application can be made to the EPA for access to monitoring data which has been submitted to the EPA by licensees.

This licence is issued to:

<u>Licensee</u>
SNOWY HYDRO LIMITED
PO BOX 332
COOMA NSW 2630

subject to the conditions which follow.



1 Administrative Conditions

A1 What the licence authorises and regulates

A1.1 This licence authorises the carrying out of the scheduled activities listed below at the premises specified in A2. The activities are listed according to their Scheduled Activity (Act) classification, Licensing Fee Category (Regulation) classification and the scale of the operation.

Unless otherwise further restricted by a condition of this licence, the scale at which the activity is carried out must not exceed the maximum scale specified in this condition.

<u>Scheduled Activity (Act)</u>	<u>Licensing Fee Category (Regulation)</u>	<u>Scale</u>
Electricity generation - Metropolitan electricity works (internal combustion engines)	Generation of electrical power from diesel	0 - 250 GWh annual generating capacity

A2 Premises or plant to which this licence applies


A2.1 The licence applies to the following premises:

<u>Premises Details</u>
HEZ POWER STATION
105 BROMAGE ROAD
ABERMAIN NSW 2326
LOT 1//DP1139227

A3 Other activities

A3.1 This licence applies to all other activities carried on at the premises, including:

<u>Ancillary activity</u>
Chemical storage



A4 Information supplied to the EPA

A4.1 Works and activities must be carried out in accordance with the proposal contained in the licence application, except as expressly provided by a condition of this licence.

In this condition the reference to "the licence application" includes a reference to:

- a) the applications for any licences (including former pollution control approvals) which this licence replaces under the Protection of the Environment Operations (Savings and Transitional) Regulation 1998; and
- b) the licence information form provided by the licensee to the EPA to assist the EPA in connection with the issuing of this licence.


2 Discharges to Air and Water and Applications to Land

P1 Location of monitoring/discharge points and areas

P1.1 The following points referred to in the table below are identified in this licence for the purposes of monitoring and/or the setting of limits for the emission of pollutants to the air from the point.

Air

EPA Identification Number	Point Type	Point Type Description	Location Description
1	Discharge & Monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 1-6, marked and shown as "1" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge_Point_Map (002).pdf" (EPA ref. DOC20/712090).
2	Discharge & Monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 7-12, marked and shown as "2" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge_Point_Map (002).pdf" (EPA ref. DOC20/712090).

Environment Protection Licence

3	Discharge & Monitoring	Discharge to air Air emissions monitoring	Stack serving Engines 13-16, marked and shown as "3" on the figure titled "HEZ", prepared by SHL Environment, dated 20/03/2020, file title "Attachment 6 HEZ_Discharge _Point_Map (002).pdf" (EPA ref. DOC20/712090).
---	------------------------	--	---

3 Limit Conditions

L1 Pollution of waters

- L1.1** Except as may be expressly provided in any other condition of this licence, the licensee must comply with section 120 of the Protection of the Environment Operations Act 1997.

L2 Concentration limits

- L2.1** For each monitoring/discharge point or utilisation area specified in the table/s below (by a point number), the concentration of a pollutant discharged at that point, or applied to that area, must not exceed the concentration limits specified for that pollutant in the table.


L2.2 Air Concentration Limits

POINT 1,2,3

Pollutant	UOM	100 percentile concentration limit	Reference Condition	Oxygen Correction	Averaging Period
Carbon monoxide	milligrams per cubic metre	300	Dry, 273K, 101.3kPa	10%	1 hour
Solid Particles	milligrams per cubic metre	20	Dry, 273K, 101.3kPa	10%	1 hour
Nitrogen Oxides	milligrams per cubic metre	200	Dry, 273K, 101.3kPa	10%	1 hour

- L2.3** The limits contained in this licence do not apply during a period of start up or shut down, as defined by the Protection of the Environment Operations (Clean Air) Regulation 2022.

Environment Protection Licence



Note: While the limits contained in this licence do not apply under the specified periods, the licensee will still be subject to the requirements of Section 128(2) of the Protection of the Environment Operations Act 1997.

L3 Noise limits

L3.1 Noise from the premises must not exceed the following noise limit at any residence or noise sensitive receptor not owned or operated by the licensee:

- a) at all times, an LAeq(15 minute) noise emission criterion of 35 dB(A)

Where LAeq(15 minute) is the equivalent continuous noise level being the level of noise equivalent to the energy average of noise levels occurring over a measurement period.

L3.2 Noise from the premises is to be measured at the residential boundary; or 30 metres from the residence where the boundary is more than 30 metres from the residence to determine compliance with this condition.

Note: Noise Measurement

For the purpose of noise measurement required for this condition, the LAeq noise level must be measured or computed at the point defined in condition L3.2 over a period of 15 minutes using "FAST" response on the sound level meter.

For the purpose of the noise criteria for this condition, 5dB(A) must be added to the measured level if the noise is substantially tonal or impulsive in character. The location or point of impact can be different for each development, for example, at the closest residential receiver or at the closest boundary of the development. Measurement locations can be:

- a) 1 metre from the facade of the residence for night time assessment;
- b) At the residential boundary;
- c) 30 metres from the residence (rural situations) where the boundary is more than 30 metres from the residence.

L3.3 The noise emission limits identified in this licence apply under prevailing meteorological conditions except:


- a) during rain and wind speeds (at 10m height) greater than 3m/s; or
- b) under conditions of temperature inversion.

Noise impacts that may be enhanced by temperature inversion must be addressed by:

- c) documenting noise complaints received to identify any higher level of impacts or patterns of temperature inversions;
- d) where levels of noise complaints indicate a higher level of impact then actions to quantify and ameliorate any enhanced impacts under temperature inversion conditions should be developed and implemented.

L4 Hours of operation

L4.1 The plant must not operate for more than 200 hours per reporting period.



L5 Potentially offensive odour

L5.1 No condition of this licence identifies a potentially offensive odour for the purposes of section 129 of the Protection of the Environment Operations Act 1997.

Note: Section 129 of the Protection of the Environment Operations Act 1997, provides that the licensee must not cause or permit the emission of any offensive odour from the premises but provides a defence if the emission is identified in the relevant environment protection licence as a potentially offensive odour and the odour was emitted in accordance with the conditions of a licence directed at minimising odour.

4 Operating Conditions

O1 Activities must be carried out in a competent manner

O1.1 Licensed activities must be carried out in a competent manner.
This includes:
a) the processing, handling, movement and storage of materials and substances used to carry out the activity; and
b) the treatment, storage, processing, reprocessing, transport and disposal of waste generated by the activity.

O2 Maintenance of plant and equipment

O2.1 All plant and equipment installed at the premises or used in connection with the licensed activity:
a) must be maintained in a proper and efficient condition; and
b) must be operated in a proper and efficient manner.

O3 Dust


O3.1 The premises must be maintained in a condition which prevents the emission of dust from the premises.

O3.2 All operations and activities occurring at the premises must be carried out in a manner that will minimise the generation of dust at the premises.

O3.3 Activities occurring at the premises must be carried out in a manner that will minimise emissions of dust from the premises.

O4 Emergency response

O4.1 The licensee must maintain, and implement as necessary, a current emergency response plan for the premises. The licensee must keep the emergency response plan on the premises at all times. The emergency response plan must document systems and procedures to deal with all types of incidents (e.g. spills, explosions or fire) that may occur at the premises or that may be associated with activities that occur at the premises and which are likely to cause harm to the environment. If a current emergency response plan does not exist at the date on which this condition is attached



to the licence, the licensee must develop an emergency response plan within three months of that date.

O5 Processes and management

O5.1 All above ground tanks containing material that is likely to cause environmental harm must be bunded or have an alternative spill containment system in place.

O5.2 Bunds must:

- a) have walls and floors constructed of impervious materials;
- b) be of sufficient capacity to contain 110% of the volume of the tank (or 110% volume of the largest tank where a group of tanks are installed);
- c) have floors graded to a collection sump; and
- d) not have a drain valve incorporated in the bund structure,

or be constructed and operated in a manner that achieves the same environmental outcome.

O6 Other operating conditions

O6.1 The sulfur content in the diesel fuel used for firing the power station must comply with the Australian Government's *Fuel Quality Standards (Automotive Diesel) Determination 2019* made under the *Fuel Quality Standards Act 2000*.

5 Monitoring and Recording Conditions

M1 Monitoring records

M1.1 The results of any monitoring required to be conducted by this licence or a load calculation protocol must be recorded and retained as set out in this condition.

M1.2 All records required to be kept by this licence must be:


- a) in a legible form, or in a form that can readily be reduced to a legible form;
- b) kept for at least 4 years after the monitoring or event to which they relate took place; and
- c) produced in a legible form to any authorised officer of the EPA who asks to see them.

M1.3 The following records must be kept in respect of any samples required to be collected for the purposes of this licence:

- a) the date(s) on which the sample was taken;
- b) the time(s) at which the sample was collected;
- c) the EPA point identification number for the point at which the sample was taken; and
- d) the name of the person who collected the sample

M2 Requirement to monitor concentration of pollutants discharged

M2.1 For each monitoring/discharge point or utilisation area specified below (by a point number), the licensee must monitor (by sampling and obtaining results by analysis) the concentration of each pollutant specified in Column 1. The licensee must use the sampling method, units of measure, and sample at the frequency, specified opposite in the other columns:

**M2.2** Air Monitoring Requirements**POINT 1,2,3**

Pollutant	UOM	Frequency	Sampling Methods
Carbon monoxide	milligrams per cubic metre	Yearly	TM-32
Nitrogen Oxides	milligrams per cubic metre	Yearly	TM-11
Solid Particles	milligrams per cubic metre	Yearly	TM-15

Note: Nitrogen Oxides mean: Nitrogen Dioxide (NO₂) or Nitric Oxide (NO) or both, as NO₂ equivalent.

M3 Testing methods - concentration limits

M3.1 Monitoring for the concentration of a pollutant emitted to the air required to be conducted by this licence must be done in accordance with:

- any methodology which is required by or under the Act to be used for the testing of the concentration of the pollutant; or
- if no such requirement is imposed by or under the Act, any methodology which a condition of this licence requires to be used for that testing; or
- if no such requirement is imposed by or under the Act or by a condition of this licence, any methodology approved in writing by the EPA for the purposes of that testing prior to the testing taking place.

Note: The *Protection of the Environment Operations (Clean Air) Regulation 2022* requires testing for certain purposes to be conducted in accordance with test methods contained in the publication "Approved Methods for the Sampling and Analysis of Air Pollutants in NSW".


M4 Recording of pollution complaints

M4.1 The licensee must keep a legible record of all complaints made to the licensee or any employee or agent of the licensee in relation to pollution arising from any activity to which this licence applies.

M4.2 The record must include details of the following:

- the date and time of the complaint;
- the method by which the complaint was made;
- any personal details of the complainant which were provided by the complainant or, if no such details were provided, a note to that effect;
- the nature of the complaint;
- the action taken by the licensee in relation to the complaint, including any follow-up contact with the complainant; and
- if no action was taken by the licensee, the reasons why no action was taken.

Environment Protection Licence



M4.3 The record of a complaint must be kept for at least 4 years after the complaint was made.

M4.4 The record must be produced to any authorised officer of the EPA who asks to see them.

M5 Telephone complaints line

M5.1 The licensee must operate during its operating hours a telephone complaints line for the purpose of receiving any complaints from members of the public in relation to activities conducted at the premises or by the vehicle or mobile plant, unless otherwise specified in the licence.

M5.2 The licensee must notify the public of the complaints line telephone number and the fact that it is a complaints line so that the impacted community knows how to make a complaint.

M5.3 The preceding two conditions do not apply until 3 months after the date of the issue of this licence.

6 Reporting Conditions

R1 Compliance, and annual reporting requirements

Compliance with licence conditions

R1.1 The licensee must supply the EPA, via the EPA's online digital portal, the following details of any non-compliance with the conditions of the licence within 21 days after the licensee becomes aware of the non-compliance:


- a. the date the licensee became aware of the non-compliance;
- b. the date(s) the non-compliance occurred, including if the non-compliance is continuing;
- c. whether the non-compliance relates to air, water/land, noise or waste matters (if applicable);
- d. whether the non-compliance relates to a pollution incident;
- e. the licence condition(s) not complied with;
- f. a summary of particulars of the non-compliance, including (if known):
 - i. the location where the non-compliance occurred;
 - ii. the duration of the non-compliance;
 - iii. if the non-compliance is continuing, the suspected end date of the non-compliance;
- g. the cause or suspected cause of the non-compliance;
- h. any action taken, or proposed to be taken, to mitigate the effects of the non-compliance; and
- i. any action taken, or proposed to be taken, to prevent a recurrence of the non-compliance.

R1.2 The EPA may make a written request for further details in relation to each non-compliance reported in accordance with Condition R1.1. The licensee must provide such further details to the EPA, via the EPA's online digital portal, within the time specified in the request.

R1.3 Condition R1.1 does not apply where a non-compliance with a licence condition has been identified by the EPA as part of an EPA environmental compliance audit.

Reporting transition arrangements

Environment Protection Licence



- R1.4** By 05 August 2026, the licensee must supply to the EPA, via the EPA's online digital portal the details required in Condition R1.1 for any non-compliance with the conditions of the licence that occurred:
- after the date the licensee supplied their last Statement of Compliance - Licence Conditions to the EPA, and
 - before the date of the notice of variation of licence that added this condition to this Licence.

Pollution monitoring data summary

- R1.5** If the licensee undertakes monitoring as a result of a licence condition, the licensee must supply to the EPA a summary of the results of the pollution monitoring data in respect of each reporting period. The summary must be provided as a Microsoft Excel file, formatted with the following column headings:

- EPA point identification number;
- pollutant;
- unit of measure;
- number of samples required;
- number of samples collected and analysed;
- lowest sample value;
- mean of sample values; and
- highest sample value.

The pollution monitoring data summary for the reporting period must be supplied to the EPA via the EPA's online digital portal by the "due date", as defined in the dictionary at the end of this licence.

R2 Notification of environmental harm

- R2.1** Notifications must be made by telephoning the Environment Line service on 131 555.


Note: The licensee or its employees must notify all relevant authorities of incidents causing or threatening material harm to the environment immediately after the person becomes aware of the incident in accordance with the requirements of Part 5.7 of the Act.

- R2.2** The licensee must provide written details of the notification to the EPA within 7 days of the date on which they became aware of the incident.

R3 Written report

- R3.1** Where an authorised officer of the EPA suspects on reasonable grounds that:
- where this licence applies to premises, an event has occurred at the premises; or
 - where this licence applies to vehicles or mobile plant, an event has occurred in connection with the carrying out of the activities authorised by this licence, and the event has caused, is causing or is likely to cause material harm to the environment (whether the harm occurs on or off premises to which the licence applies), the authorised officer may request a written report of the event.
- R3.2** The licensee must make all reasonable inquiries in relation to the event and supply the report to the EPA within such time as may be specified in the request.

Environment Protection Licence



- R3.3** The request may require a report which includes any or all of the following information:
- a) the cause, time and duration of the event;
 - b) the type, volume and concentration of every pollutant discharged as a result of the event;
 - c) the name, address and business hours telephone number of employees or agents of the licensee, or a specified class of them, who witnessed the event;
 - d) the name, address and business hours telephone number of every other person (of whom the licensee is aware) who witnessed the event, unless the licensee has been unable to obtain that information after making reasonable effort;
 - e) action taken by the licensee in relation to the event, including any follow-up contact with any complainants;
 - f) details of any measure taken or proposed to be taken to prevent or mitigate against a recurrence of such an event; and
 - g) any other relevant matters.
- R3.4** The EPA may make a written request for further details in relation to any of the above matters if it is not satisfied with the report provided by the licensee. The licensee must provide such further details to the EPA within the time specified in the request.

R4 Other reporting conditions


Air concentration limit exceedances

- R4.1** The licensee must notify the EPA of any exceedances of any emission or concentration limit included as a condition of this licence in accordance with condition R2.1 no later than 5 days after becoming aware of any exceedance.
- R4.2** Within 20 days of the notification made in accordance with condition R4.1 above, the licensee must provide a report to the EPA at info@epa.nsw.gov.au that includes, as a minimum, the following details:
- 1. the date and time that the exceedance occurred;
 - 2. the nature of the exceedance (i.e. the pollutants involved);
 - 3. the duration of the exceedance;
 - 4. plant operating conditions at the time the exceedance;
 - 5. the cause of the exceedance;
 - 6. the remedial/corrective actions taken at the time the exceedance was made known; and
 - 7. the actions taken and/or future actions to be taken, to prevent exceedances of a similar nature occurring in the future.

7 General Conditions

G1 Copy of licence kept at the premises or plant

- G1.1** A copy of this licence must be kept at the premises to which the licence applies.
- G1.2** The licence must be produced to any authorised officer of the EPA who asks to see it.
- G1.3** The licence must be available for inspection by any employee or agent of the licensee working at the premises.




G2 Contact number for incidents and responsible employees

- G2.1** The licensee must provide the EPA with up to date contact details to enable the EPA:
- a) to contact either the licensee or a representative of the licensee who can respond at all times to incidents relating to the premises, and
 - b) to contact the licensee's senior employees or agents authorised at all times to:
 - i) speak on behalf of the licensee, and
 - ii) provide any information or document required under the licence.

8 Special conditions

E1 Electricity supply security

- E1.1** The operating hours specified under condition L5.1, may be exceeded where:
- (a) The Australian Electricity Market Operator (AEMO), or someone authorised by the AEMO, directs the licensee, under the National Electricity Rules, to maintain, increase or be available to increase electricity generation for system security; or
 - (b) The EPA gives approval in writing in circumstances that the EPA considers may impact on the function of the NSW electricity supply.




Dictionary

General Dictionary


3DGM [in relation to a concentration limit]	Means the three day geometric mean, which is calculated by multiplying the results of the analysis of three samples collected on consecutive days and then taking the cubed root of that amount. Where one or more of the samples is zero or below the detection limit for the analysis, then 1 or the detection limit respectively should be used in place of those samples
Act	Means the Protection of the Environment Operations Act 1997
activity	Means a scheduled or non-scheduled activity within the meaning of the Protection of the Environment Operations Act 1997
actual load	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2022
AM	Together with a number, means an ambient air monitoring method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.
AMG	Australian Map Grid
anniversary date	The anniversary date is the anniversary each year of the date of issue of the licence. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.
Approved Methods Publication	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2022
assessable pollutants	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2022
BOD	Means biochemical oxygen demand
CEM	Together with a number, means a continuous emission monitoring method of that number prescribed by the <i>Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales</i> .

Environment Protection Licence




COD	Means chemical oxygen demand
composite sample	Unless otherwise specifically approved in writing by the EPA, a sample consisting of 24 individual samples collected at hourly intervals and each having an equivalent volume.
cond.	Means conductivity
due date	Means: i) not later than 60 days after the end of each reporting period; or ii) in the case of a transferring licence - not later than 60 days after the date the transfer was granted.
environment	Has the same meaning as in the Protection of the Environment Operations Act 1997
environment protection legislation	Has the same meaning as in the Protection of the Environment Administration Act 1991
EPA	Means the Environment Protection Authority of New South Wales.
EPA Online digital portal	Means eConnect EPA
general solid waste (non-putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
flow weighted composite sample	Means a sample whose composites are sized in proportion to the flow at each composites time of collection.
general solid waste (putrescible)	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
grab sample	Means a single sample taken at a point at a single time
hazardous waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
licensee	Means the licence holder described at the front of this licence
Licensing Fee Category (Regulation)	Means the numbered short descriptions in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2022.
load calculation protocol	Has the same meaning as in the Protection of the Environment Operations (General) Regulation 2022

Environment Protection Licence



local authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
material harm	Has the same meaning as in section 147 of the Protection of the Environment Operations Act 1997
MBAS	Means methylene blue active substances
Minister	Means the Minister administering the Protection of the Environment Operations Act 1997
mobile plant	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
motor vehicle	Has the same meaning as in the Protection of the Environment Operations Act 1997
O&G	Means oil and grease
Percentile [in relation to a concentration limit of a sample]	Means that percentage [eg.50%] of the number of samples taken that must meet the concentration limit specified in the licence for that pollutant over a specified period of time. In this licence, the specified period of time is the Reporting Period unless otherwise stated in this licence.
plant	Includes all plant within the meaning of the Protection of the Environment Operations Act 1997 as well as motor vehicles.
pollution incident	Has the same meaning as in the Protection of the Environment Operations Act 1997
Pollution of waters [or water pollution]	Has the same meaning as in the Protection of the Environment Operations Act 1997
premises	Means the premises described in condition A2.1
public authority	Has the same meaning as in the Protection of the Environment Operations Act 1997
regional office	Means the relevant EPA office referred to in the Contacting the EPA document accompanying this licence
reporting period	For the purposes of this licence, the reporting period means the period of 12 months after the issue of the licence, and each subsequent period of 12 months. In the case of a licence continued in force by the Protection of the Environment Operations Act 1997, the date of issue of the licence is the first anniversary of the date of issue or last renewal of the licence following the commencement of the Act.

Environment Protection Licence




restricted solid waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
scheduled activity	Means an activity listed in Schedule 1 of the Protection of the Environment Operations Act 1997
special waste	Has the same meaning as in Part 3 of Schedule 1 of the Protection of the Environment Operations Act 1997
TM	Together with a number, means a test method of that number prescribed by the Approved Methods for the Sampling and Analysis of Air Pollutants in New South Wales.
TSP	Means total suspended particles
TSS	Means total suspended solids
Type 1 substance	Means the elements antimony, arsenic, cadmium, lead or mercury or any compound containing one or more of those elements
Type 2 substance	Means the elements beryllium, chromium, cobalt, manganese, nickel, selenium, tin or vanadium or any compound containing one or more of those elements
utilisation area	Means any area shown as a utilisation area on a map submitted with the application for this licence
waste	Has the same meaning as in the Protection of the Environment Operations Act 1997
waste type	Means liquid, restricted solid waste, general solid waste (putrescible), general solid waste (non - putrescible), special waste or hazardous waste
wellhead	Has the same meaning as in Schedule 1 of the Protection of the Environment Operations (General) Regulation 2022

Stephen Beaman

Executive Director Regulatory Operations

NSW Environment Protection Authority

Environment Protection Licence



End Notes

Licence varied by notice POEO-2260, issued on 06-06-2026

Licence varied by notice 1645126 issued on 24-Mar-2025

Licence varied by notice 1625231 issued on 16-Dec-2022

Licence varied by notice 1616036 issued on 04-Mar-2022

Licence varied by notice 1603339 issued on 26-Nov-2020